

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	"06073146" "06487533" "05510998" "06490563" "05175803" "05781884" "05835924"	US-PGPUB; USPAT	OR	OFF	2005/01/31 15:33
S2	76	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model	US-PGPUB; USPAT	OR	OFF	2005/01/31 15:35
S3	70	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4	US-PGPUB; USPAT	OR	OFF	2005/01/31 15:36
S4	129	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4 and typ\$4	US-PGPUB; USPAT	OR	ON	2005/01/31 15:37
S5	7	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4 and (typ\$4 adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:40
S6	137	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4 and (typing model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:40
S7	0	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4 and (typing adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:40
S8	0	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4 and ((typing enter\$4) adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:43
S9	1	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) same model and probabilit\$4 and ((typing enter\$4 input\$4) adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:42
S10	1	"704"/\$.cccls. and (language adj1 model ) and @ad<"19991105" and (error misspell) and ((typing enter\$4 input\$4) adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:42
S11	16	"704"/\$.cccls. and @ad<"19991105" and (error misspell) and ((typing enter\$4 input\$4) adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:42

S12	0	"704"/\$.ccls. and @ad<"19991105" and (error misspell) same model and probabilit\$4 and ((typing enter\$4) adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:48
S13	12	@ad<"19991105" and (error misspell) same model and probabilit\$4 and ((typing enter\$4) adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:45
S14	0	@ad<"19991105" and (error misspell) same model and probabilit\$4 and (typing adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:45
S15	0	@ad<"19991105" and (error misspell) same model and (typing adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:46
S16	0	@ad<"19991105" and (error misspell) and (typing adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:46
S17	1	@ad<"19991105" and (typing adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:46
S18	4	@ad<"19991105" and (typing adj2 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:46
S19	4	"704"/\$.ccls. and @ad<"19991105" and (error misspell) same model and probabilit\$4 and (input adj1 model)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:49
S20	532	"704"/\$.ccls. and @ad<"19991105" and (error misspell) and probabilit\$4 and (input enter) same model	US-PGPUB; USPAT	OR	ON	2005/01/31 15:50
S21	19	"704"/\$.ccls. and @ad<"19991105" and (error misspell) and probabilit\$4 and (input enter) same model and tts	US-PGPUB; USPAT	OR	ON	2005/01/31 15:53
S22	4	"704"/3.ccls. and @ad<"19991105" and (error misspell) and probabilit\$4 and (input enter) same model and tts	US-PGPUB; USPAT	OR	ON	2005/01/31 15:56
S23	0	"704"/3.ccls. and @ad<"19991105" and (error misspell) and (typing adj probabilit\$4)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:56
S24	0	"704"/3.ccls. and @ad<"19991105" and (error misspell) and (typing adj1 probabilit\$4)	US-PGPUB; USPAT	OR	ON	2005/01/31 15:56

S25	0	"704"/3.ccls. and @ad<"19991105" and (error misspell) and (typing adj1 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:57
S26	0	"704"/3.ccls. and @ad<"19991105" and (error misspell) and (typing adj2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 15:57
S28	0	"704"/3.ccls. and @ad<"19991105" and (error misspell) and (typing near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:05
S29	0	"704"/3.ccls. and @ad<"19991105" and (error ) and (typing near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:05
S30	0	"704"/2.ccls. and @ad<"19991105" and (error ) and (typing near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:05
S31	0	"704"/260.ccls. and @ad<"19991105" and (error ) and (typing near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:06
S32	0	"704"/\$.ccls. and @ad<"19991105" and (error ) and (typing near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:07
S33	0	"704"/\$.ccls. and @ad<"19991105" and (error ) and (typing near3 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:07

S34	118	"704"/\$.ccls. and @ad<"19991105" and (error ) and (input near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:07
S35	21	"704"/\$.ccls. and @ad<"19991105" and (error ) and (enter\$3 near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:08
S36	0	"704"/3.ccls. and @ad<"19991105" and (error ) and (enter\$3 near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:10
S37	0	"704"/2.ccls. and @ad<"19991105" and (error ) and (enter\$3 near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:08
S38	0	"704"/260.ccls. and @ad<"19991105" and (error ) and (enter\$3 near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:08
S39	0	"704"/260.ccls. and @ad<"19991105" and (error ) and (enter\$4 near2 probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:09
S40	0	"704"/\$.ccls. and @ad<"19991105" and (error ) and (enter\$4 near2 probabilit\$4) and tts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:09
S41	0	"704"/\$.ccls. and @ad<"19991105" and (error ) and (enter\$4 near3 probabilit\$4) and tts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:10

S42	1	@ad<"19991105" and (error ) and (enter\$4 near3 probabilit\$4) and tts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:09
S43	0	"704"/\$.ccls. and @ad<"19991105" and (error ) and (enter\$4 same probabilit\$4) and tts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:10
S44	1	"704"/3.ccls. and @ad<"19991105" and (error ) and ((enter\$4 typing) same probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:13
S45	0	"704"/2.ccls. and @ad<"19991105" and (error ) and ((enter\$4 typing) same probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:13
S46	1	"704"/260.ccls. and @ad<"19991105" and (error ) and ((enter\$4 typing) same probabilit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:19
S47	3	"704"/260.ccls. and @ad<"19991105" and (error ) and (error) and tts and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:23
S48	4	"704"/3.ccls. and @ad<"19991105" and (error ) and (error) and tts and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:28
S49	1	"704"/2.ccls. and @ad<"19991105" and (error ) and (error) and tts and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:28

S50	0	"704"/1.ccls. and @ad<"19991105" and (error ) and (error) and tts and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:29
S51	0	"704"/5.ccls. and @ad<"19991105" and (error ) and (error) and tts and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:29
S52	0	"704"/5.ccls. and @ad<"19991105" and (error ) and (error) and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:29
S53	8	"704"/1.ccls. and @ad<"19991105" and (error ) and (error) and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:29
S54	4	"704"/8.ccls. and @ad<"19991105" and (error ) and (error) and (language adj1 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:48
S55	12	("4565459"   "5109352"   "5164900"   "5212638"   "5255189"   "5319552"   "5331557"   "5378068"   "5806021"   "5832478"   "5835924"   "5893133").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 16:35
S56	12	("4565459"   "5109352"   "5164900"   "5212638"   "5255189"   "5319552"   "5331557"   "5378068"   "5806021"   "5832478"   "5835924"   "5893133").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 16:35
S57	12	("4565459"   "5109352"   "5164900"   "5212638"   "5255189"   "5319552"   "5331557"   "5378068"   "5806021"   "5832478"   "5835924"   "5893133").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 16:35

S58	2	"704"/8.ccls. and @ad<"19991105" and (error ) and (error) and (language adj1 model) and (pinyin pin-yin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:39
S59	17	("4375922"   "4689743"   "4868779"   "4954955"   "5031206"   "5047932"   "5063376"   "5319552"   "5617314"   "5623682"   "5634134"   "5689617"   "5713033"   "5745876"   "5765133"   "5818437").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 16:39
S60	19	("5952942").URPN.	USPAT	OR	OFF	2005/01/31 16:42
S61	1	"704"/8.ccls. and @ad<"19991105" and (error ) and (error) and (language adj1 model) and typing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 16:48
S62	1	"06246976"	US-PGPUB; USPAT	OR	OFF	2005/01/31 21:24